## HEPATOPROTECTIVE ACTIVITY LIPOPHILIC AND HYDROPHILIC LIME LEAVES EXTRACT RESEARCH

Kirshenbaum E.V., Fomina G.P., Avidzba Y.N.
The National University of Pharmacy, Kharkiv, Ukraine klinlab@nuph.edu.ua

Paracetamol is the one of the most used non-prescription drugs in Ukraine. As one of the most effective analgesics and antipyretics, paracetamol is nevertheless a potential hepatotoxic agent.

Not only overdose of paracetamol, but even its long-term use contributes to the development of drug hepatitis, especially for people with hepatitis of various etiologies or patients with diabetes mellitus.

Paracetamol hepatotoxicity caused not only by the result of covalent binding of its highly reactive metabolite N-acetyl-4-benzohinonimin with macromolecules of hepa:-ocytes, but also by activation processes of free-radical oxidation (FRO) with enzymatu and non-enzymatic dysfunction of antioxidant systems.

The purpose of the research. Hepatoprotective activity lipophilic and hydrophik. lime leaves extract research.

Materials and methods. This work is devoted to the experimental research of the hepatoprotective properties of hydrophilic (PL-1) and lipophilic (PL-2) lime lea\. extracts. Investigations have been carried out on the paracetamol hepatitis model or rats. White mongrel male rats with weight 180-220 g have been used in this research.

**Obtained results.** As a result of these experiments revealed that the use of PL-1 and PL-2 in drug-induced hepatitis caused by paracetamol reduces the intensity of cytoh: and free radical processes in the liver, increases the activity of the antioxidant syste~ of hepatocytes and contributes to the normalization of carbohydrate, protein and lip | metabolism, and recovery processes bile production and secretion.

Efficiency of researched extracts is 20% higher on average than the efficiency of the reference drug silibor in the intensity of the hepatoprotective action.

**Summary.** Conducted research testifies the advisability of further preclinical lime leaves extracts studies to create new domestic plant hepatoprotector on their basis.