

ЕКОЛОГІЧНА ВІДПОВІДАЛЬНІСТЬ ФАРМАЦЕВТИЧНИХ ОРГАНІЗАЦІЙ

Гладцінова О. Ю., Сагайдак-Нікітюк Р. В.

Національний фармацевтичний університет, Харків, Україна

Вступ. Сьогодні фармацевтичні організації в усьому світі впроваджують в свою діяльність принципи соціальної відповідальності в сфері екології, але більшість вітчизняних фармацевтичних організацій і промислових фармацевтичних підприємств обмежуються в цьому питанні лише юридичною екологічною відповідальністю. Для щоб вважати соціально відповідальним, підприємство чи організацію повинно сприяти розвитку зовнішнього і внутрішнього середовища функціонування власного бізнесу понад передбачені законодавством вимоги.

Мета дослідження – вивчення теоретичних засад екологічної відповідальності фармацевтичної організації.

Матеріали та методи дослідження. У дослідженні застосовувалися методи узагальнення, аналізу та синтезу, контент-аналізу. Отримані результати. Орієнтири сучасної екологічно відповідальної політики фармацевтичної організації містяться в:зміні етичних норм та установок екологічної політики фармацевтичної організації на основі тенденцій інформатизації та глобалізації;соціальна значимість екологічної політики фармацевтичної організації, що інтегрується в корпоративну та регіональну стратегію розвитку; трансформація управлінських зобов'язань фармацевтичної організації відносно охорони довкілля з урахуванням розробки та застосування інтегрованих систем менеджменту. Екологічна бізнес-етика є основою екологічної відповідальності фармацевтичної організації та встановлює обов'язкові з моральних позицій норми, що стосуються її ставлення до довкілля та формує простір екологічної відповідальності організації за стан навколишнього природного середовища та оптимальне ресурсокористування й екологічну безпеку процесів споживання фармацевтичної продукції. Тобто вона доповнює систему вимог нормативно-правової бази.

Основними мотиваторами щодо реалізації екологічної відповідальності фармацевтичної організації в сучасних умовах виступають:

вплив законодавства та вимог стандартизація екологічної сфери;

вплив стейкхолдерів, конкурентів та партнерів;

- інформаційний вплив;

- посилення соціальних установок та відповідальності в світі;

- морально-етичні установки системи менеджменту ФО;

- популярність іміджу соціально та екологічно відповідальної фармацевтичної організації.

Висновки. Отже, можна зробити висновок, що одним з важливих напрямів приведення екологічної відповідальності фармацевтичних організацій України до міжнародних стандартів є переорієнтація її на відновлення навколишнього природного середовища.

ANALYSIS OF THE ASSORTMENT OF DRUGS FOR THE TREATMENT OF ATHEROSCLEROSIS AVAILABLE ON THE PHARMACEUTICAL MARKET OF UKRAINE

Kovalevska I. V., Verkhovod V. M.

National Pharmaceutical University, Kharkiv, Ukraine
viktoriaverkhovod264@gmail.com

Introduction. Cardiovascular diseases (CVD) are the leading cause of mortality among citizens of Ukraine. By this indicator, our country remains one of the global leaders. The most common form of CVD is atherosclerosis of the blood vessels, which is responsible for the development of ischemic heart disease (IHD) in 95% of cases. Atherosclerosis is a condition of the arteries characterized by the deposition of cholesterol plaques on their inner walls, which over time can lead to partial or complete narrowing of the vessels and impaired blood circulation.

According to WHO statistics, men aged 30 are more vulnerable to this disease. This indicates that the onset of the disease is occurring at a younger age and is increasingly affecting younger generations. The main risk factors for the development of atherosclerosis include hypercholesterolemia. High concentrations of low-density lipoprotein cholesterol (LDL) in the blood are the primary cause of the pathogenesis of this disease, contributing to its progression. It is worth noting that dyslipidemic disorders, combined with elevated blood pressure, lead to increased levels of LDL and hypertriglyceridemia.

As of today, the drugs of choice for treating atherosclerosis include inhibitors of HMG-CoA reductase (statins), fibrates, bile acid sequestrants, and other hypolipidemic agents. When prescribing a medication, doctors typically rely on international clinical protocols, but Ukrainian therapy must also be taken into account. Considering the above, research into the market of medicinal products used in the therapy of atherosclerosis becomes particularly important.

The **aim** of the study is to investigate the state of pharmaceutical care for patients with atherosclerosis in Ukraine. To achieve this, it was necessary to analyze the group of hypolipidemic medicinal products available on the pharmaceutical market of Ukraine.

Materials and methods.

The analysis of the assortment of drugs available on the domestic pharmaceutical market was conducted according to the State Register of Medicinal Products and the Register of Medicinal Products subject to reimbursement as of May 1, 2024. The composition of the drugs was analyzed by their international non-